

	Hits	Search Text	DBs
1	6	(375/130, 375/135, 375/136, 375/146, 375/147, 375/211, 375/214).ccls. and (cdma and (repeat or repeats or repetition) and (second adj symbol) and orthogonal) and (@ad<"19990204" or @rlad<"19990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	9	("5521937" "5729526" "5790549" "5864543" "6108317" "6151328" "6178158" "6240287" "6272183").PN.	USPAT
3	1	cdma and (repeat or repeats or repetition) and ((second adj symbol) with (invert or inversion or inverts or inversions))and orthogonal and (@ad<"19990204" or @rlad<"19990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	12	("5509020" "5533014" "5566206" "5627845" "5682416" "5689511" "5790592" "5796757" "5872775" "6094428" "6097716" "6111912").PN.	USPAT
5	18	cdma and (repeat or repeats or repetition) and (second adj symbol) and orthogonal and (@ad<"19990204" or @rlad<"19990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	177	cdma and (repeat or repeats or repetition) and orthogonal and (mix or mixer or mixing or mixes) and (@ad<"19990204" or @rlad<"19990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	120	cdma and (repeat or repeats or repetition) and orthogonal and (mix or mixer or mixing or mixes) and (half or halves) and (@ad<"19990204" or @rlad<"19990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	36	cdma and ((symbol or symbols) same (repeat or repeats or repetition)) and orthogonal and (mix or mixer or mixing or mixes) and (half or halves) and (@ad<"19990204" or @rlad<"19990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
9	0	cdma and ((symbol or symbols) same (repeat or repeats or repetition)) and (orthogonal same (mix or mixer or mixing or mixes) same (half or halves)) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	3	cdma and ((symbol or symbols) same (repeat or repeats or repetition)) and (orthogonal same (mix or mixer or mixing or mixes) and (half or halves)) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	2	"5305353".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	2	"5394435".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	2	"5652764".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	6	"5305353".pn. or "5394435".pn. or "5652764".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	5	cdma and ((symbol or symbols) same (repeat or repeats or repetition)) and (orthogonal same (mix or mixer or mixing or mixes)) and (half or halves or part or portion or divide or division or divides or divisions) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	880	cdma and (orthogonal same (half or halves or part or portion or divide or division or divides or divisions)) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	255	cdma and (repeat or repeats or repetition) and (orthogonal same (half or halves or part or portion or divide or division or divides or divisions)) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
18	5	("5228054" "5309474" "5400359" "5483550" "5712869").PN.	USPAT
19	9	(cdma or (spread adj spectrum)) and (repeat or repeats or repetition) and (orthogonal same (half or halves or part or portion or divide or division or divides or divisions) same (mix or mixer or mixing or mixes)) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	938	((chip adj (duration or length)) or (one-chip adj (duration or length)) or (1-chip adj (duration or length))) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	1	(cdma or (spread adj spectrum)) and (repeat or repeats or repetition) and (orthogonal same (half or halves or part or portion or divide or division or divides or divisions) same (mix or mixer or mixing or mixes)) and ((chip adj (duration or length)) or (one-chip adj (duration or length)) or (1-chip adj (duration or length))) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	390	(cdma or (spread adj spectrum)) and ((chip adj (duration or length)) or (one-chip adj (duration or length)) or (1-chip adj (duration or length))) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	21	(cdma or (spread adj spectrum)) and ((chip adj (duration or length)) or (one-chip adj (duration or length)) or (1-chip adj (duration or length))) and (repeat or repeats or repetition) and (orthogonal same (half or halves or part or portion or divide or division or divides or divisions) and (mix or mixer or mixing or mixes)) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
24	0	(cdma or (spread adj spectrum)) and ("1024" with chips with ((half or halves or part or portion or divide or division or divides or divisions) and (mix or mixer or mixing or mixes))) and (repeat or repeats or repetition) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
25	0	(cdma or (spread adj spectrum)) and ("1024" with chips with ((half or halves or part or portion or divide or division or divides or divisions))) and (repeat or repeats or repetition) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
26	0	(cdma or (spread adj spectrum)) and ("1024" with chips with ((half or halves or part or portion or divide or division or divides or divisions))) and (repeat or repeats or repetition) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
27	0	(cdma or (spread adj spectrum)) and ("1024" with chips with ((half or halves or part or portion or divide or division or divides or divisions))) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
28	295	(cdma or (spread adj spectrum)) and (chips with ((half or halves or part or portion or divide or division or divides or divisions))) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	0	(cdma or (spread adj spectrum)) and ("1024" with chips with (orthogonal same (half or halves or part or portion or divide or division or divides or divisions) and (mix or mixer or mixing or mixes))) and (repeat or repeats or repetition) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
30	1	(cdma or (spread adj spectrum)) and (chips with (orthogonal same (half or halves or part or portion or divide or division or divides or divisions) and (mix or mixer or mixing or mixes))) and (repeat or repeats or repetition) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
31	3	(cdma or (spread adj spectrum)) and (chips with ((half or halves or part or portion or divide or division or divides or divisions) and (mix or mixer or mixing or mixes))) and (repeat or repeats or repetition) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
32	46	(cdma or (spread adj spectrum)) and ((chip or chips) with ((half or halves or part or portion or divide or division or divides or divisions) and (mix or mixer or mixing or mixes))) and (repeat or repeats or repetition) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
33	5	cdma and (repeat or repeats or repetition) and (orthogonal same (half or halves or part or portion or divide or division or divides or divisions) same (mix or mixer or mixing or mixes)) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
34	0	(375/134 or 375/137 or 375/145 or 375/149).cccls. and ((divide or separate) with "1024" with chips) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
35	2	(375/134 or 375/137 or 375/145 or 375/149 or 375/240.23).cccls. and ((divide or separate) with chips) and (@ad<"19990204" or @rlad<"1990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
36	730	antenna\$1 with attach\$2 with (data or information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
37	504	(antenna\$1 with attach\$2 with (data or information)) NOT (wireless\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
38	3	(antenna\$1 with wire\$2 with attach\$2 with (data or information)) NOT (wireless\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
39	3	(antenna\$1 with wir\$3 with attach\$2 with (data or information)) NOT (wireless\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
40	156	(antenna\$1 with wir\$3 with (attach\$2 or connect\$4) with (data or information)) NOT (wireless\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	0	"20020007970".URPN.	USPAT
42	130	(antenna\$1 with wir\$3 with (attach\$2 or connect\$4) with (data or information)) NOT ((wireless\$2) or air)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	0	"antennas connected with wires"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
44	0	"antennas connected with a wire"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
45	0	"antenna connected with a wire"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
46	0	"antenna connected with wires"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
47	0	"antenna connected using wires"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
48	0	connect\$3 adj2 antenna adj2 ("with" or using) adj2 wire\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	10	connect\$3 adj5 antenna adj5 ("with" or using) adj5 wire\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
50	48	connect\$3 near5 antenna near5 ("with" or using) near5 wire\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
51	0	antenna with "not" with transmit\$5 with receiv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	0	antenna\$2 with "not" with transmit\$5 with receiv\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	0	antenna\$2 with "not" with radio	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	0	antenna\$2 with "not" with (transmit\$5 or receiv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
55	0	antenna\$2 with "not"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
56	29258	antenna\$2 with conduct\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
57	0	antenna\$2 with conduct\$5 adj1 "."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
58	0	antenna\$2 with conduct\$5 adj5 "."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
59	0	antenna\$2 with conduct\$5 near1 "."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	0	antenna\$2 with conduct\$5 near5 "."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
61	0	(antenna\$2 with conduct\$5) near5 "."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
62	0	(antenna\$2 with conduct\$5) adj5 "."	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	1113	(antenna\$2 with conduct\$5) with "no"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
64	0	"20030030585".URPN.	USPAT
65	2	"5712869".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
66	38	"5712869".URPN.	USPAT
67	2	"6173007".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	0	(vo.xp. or bocure.xp.) and I and Q and "I+" and "I-" and "Q+" and "Q-"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	35	"I+" and "I-" and "Q+" and "Q-"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
70	14	"I+" and "I-" and "Q+" and "Q-" and @ad<"19990204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
71	10	"I+" and "I-" and "Q+" and "Q-" and transmi\$10 and @ad<"19990204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
72	0	(vo.xp. or bocure.xp.) and "I+" and "I-" and "Q+" and "Q-"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
73	736	(vo.xp. or v.xa. or bocure.xp. or bocure.xa.) and I and Q and transmi\$10 and @ad<"19990204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
74	584	(vo.xp. or vo.xa. or bocure.xp. or bocure.xa.) and I and Q and transmi\$10 and @ad<"19990204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
75	1	(vo.xp. or vo.xa. or bocure.xp. or bocure.xa.) and (I near2 positive) and (I near2 negative) and (Q near2 positive) and (Q near2 negative) and transmi\$10 and @ad<"19990204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
76	2	(vo.xp. or vo.xa. or bocure.xp. or bocure.xa.) and (I near2 positive) and (I near2 negative) and (Q near2 positive) and (Q near2 negative)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
77	53	(antenna\$2 with conduct\$5) with wired	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
78	3498	transmit\$5 and ((spread\$5 or pn) with double\$5 or duplicat\$5) with (portion\$5 or remain\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
79	56	transmit\$5 and ((spread\$5 or pn) with (double\$5 or duplicat\$5) with (portion\$5 or remain\$5)) and @ad<"19990204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
80	86	transmit\$5 and ((ortho\$10 or spread\$5 or pn) with (double\$5 or duplicat\$5) with (portion\$5 or remain\$5)) and @ad<"19990204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
81	30	(transmit\$5 and ((ortho\$10 or spread\$5 or pn) with (double\$5 or duplicat\$5) with (portion\$5 or remain\$5)) and @ad<"19990204") not (transmit\$5 and ((spread\$5 or pn) with (double\$5 or duplicat\$5) with (portion\$5 or remain\$5)) and @ad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
82	39	cdma and (repeat or repeats or repetition) and (second adj symbol) and orthogonal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
83	2	"5477195".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
84	0	(375/134 or 375/137 or 375/145 or 375/149 or 375/240.23).ccls. and ((divide or separate) with "1024" with chips) and (@ad<"19990204" or @rlad<"19990204" or @prad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
85	220	(375/134, 375/137, 375/145, 375/149, 375/240.23, 375/130, 375/135, 375/136, 375/146, 375/147, 375/211, 375/214).ccls. and ((divi\$7 or separat\$7) with chip\$7) and @ad<"19990204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
86	1	(375/134, 375/137, 375/145, 375/149, 375/240.23, 375/130, 375/135, 375/136, 375/146, 375/147, 375/211, 375/214).ccls. and ((divi\$7 or separat\$7) with "1024" with chip\$7) and @ad<"19990204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
87	3	(375/134, 375/137, 375/145, 375/149, 375/240.23, 375/130, 375/135, 375/136, 375/146, 375/147, 375/211, 375/214).ccls. and (transmit\$5 and ((ortho\$10 or spread\$5 or pn) with (double\$5 or duplicat\$5) with (portion\$5 or remain\$5)) and @ad<"19990204")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
88	0	(375/134, 375/137, 375/145, 375/149, 375/240.23, 375/130, 375/135, 375/136, 375/146, 375/147, 375/211, 375/214).ccls. and ((transmit\$5 and ((ortho\$10 or spread\$5 or pn) with (double\$5 or duplicat\$5) with (portion\$5 or remain\$5))) not (transmit\$5 and ((spread\$5 or pn) with (double\$5 or duplicat\$5) with (portion\$5 or remain\$5)))) and @ad<"19990204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB